





PM6C 8 Ohm Silver





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	50.246	21.000	49.279	786.932	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
8.000	5.099	0.346	0.324	102.065	1.748	94.443

PM6C 8 Ohm Aluminium





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	47.115	21.000	56.046	894.981	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
7.246	4.788	0.510	0.461	87.723	1.110	92.473

PM6C 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	49.621	21.000	50.528	806.874	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
10.516	4.296	0.441	0.400	184.901	1.400	93.330

PM6C 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	51.821	21.000	46.328	739.810	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
9.880	4.624	0.553	0.494	129.929	1.128	92.540