



DX4 8 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	47.966	21.000	54.076	863.526	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.489	4.958	0.175	0.169	42.567	3.300	97.209




DX4 8 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	48.764	21.000	52.321	835.497	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.246	4.808	0.229	0.218	28.347	2.567	96.112




DX4 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	46.510	21.000	57.514	918.437	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
16.205	2.855	0.184	0.173	60.749	3.000	96.838



DX4 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	47.608	21.000	54.891	876.552	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
14.788	4.406	0.227	0.216	41.125	2.526	96.043