





DX55 8 Ohm Silver





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	99.133	10.550	5.344	338.119	7.000	7.623
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
10.722	5.829	0.234	0.225	54.267	2.154	95.350

DX55 8 Ohm Aluminium





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	112.173	10.550	4.174	264.079	7.000	7.623
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.852	5.810	0.274	0.262	41.453	2.077	95.193

DX55 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	100.294	10.550	5.221	330.338	7.000	7.623
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
16.233	5.311	0.233	0.223	70.075	2.188	95.419

DX55 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	117.304	10.550	3.817	241.483	7.000	7.623
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
14.791	4.631	0.318	0.298	56.391	1.871	94.738