





EX2 8 Ohm Silver





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	43.374	21.000	66.132	1,056.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
8.714	3.637	0.261	0.243	82.096	2.001	95.030

EX2 8 Ohm Aluminium





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	44.518	21.000	62.755	1,002.002	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
8.611	3.608	0.351	0.320	60.226	1.525	93.852

EX2 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	41.905	21.000	70.848	1,131.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
12.468	2.890	0.281	0.256	137.096	1.796	94.561

EX2 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	43.325	21.000	66.281	1,058.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.465	3.303	0.343	0.311	87.464	1.518	93.832