





EX4 8 Ohm Silver





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	43.902	21.000	64.550	1,031.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
10.408	3.921	0.191	0.182	42.272	2.767	96.438

EX4 8 Ohm Aluminium





Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	44.471	21.000	62.908	1,005.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
10.233	3.781	0.248	0.233	28.071	2.154	95.351

EX4 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	42.088	21.000	70.233	1,122.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
14.783	2.543	0.201	0.186	60.071	2.500	96.040

EX4 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M ²)	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	43.563	21.000	65.560	1,047.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
13.371	3.534	0.254	0.237	40.295	2.100	95.168