





## PM5A 8 Ohm Silver





Revc (Ohm)	Fo (Hz)	Sd (m M <sup>2</sup> )	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
6.000	44.406	21.000	63.092	1007.000	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.354	3.442	0.163	0.155	46.282	3.281	97.179

## PM5A 8 Ohm Aluminium





Revc (Ohm)	Fo (Hz)	Sd (m M <sup>2</sup> )	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
7.400	46.408	21.000	57.767	922.471	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
11.652	3.038	0.203	0.190	31.484	2.755	96.420

## PM5A 15 Ohm Silver



Revc (Ohm)	Fo (Hz)	Sd (m M <sup>2</sup> )	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	46.234	21.000	58.201	929.403	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
15.977	3.260	0.189	0.178	73.849	2.949	96.715

## PM5A 15 Ohm Aluminium



Revc (Ohm)	Fo (Hz)	Sd (m M <sup>2</sup> )	Vas (Ltr)	Cms (u M/N)	Mmd (g)	Mms (g)
13.000	50.484	21.000	48.816	779.530	11.000	12.750
BL (T·M)	Qms	Qes	Qts	Levc (u H)	No (%)	SPLo (dB)
14.596	3.208	0.247	0.229	45.585	2.461	95.930